Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT

The Laminex Group Client:

22 Trewin Street Wendouree VIC 3355

23-001530 Test Number :

Issue Date 27/04/2023 24/05/2023 **Print Date**

3455941 Order Number:

"30889 Aquapanel" **Sample Description** Clients Ref:


> Rigid Panel Colour: White

Nominal Composition: Compact laminate incorporating Cellulose fibres and thermosetting

resins

1600kg/m3 Nominal Mass per Unit Area/Density:

2.7mm Nominal Thickness:



188035 64136 Page 1 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

⊭L A. JACKSON B.Sc.(Hons) ÍANAGING DIRECTOR

APPROVED SIGNATORY

AWTA Product Testing

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT

The Laminex Group Client:

22 Trewin Street Wendouree VIC 3355

23-001530 Test Number :

Issue Date 27/04/2023 24/05/2023 **Print Date**

3455941 **Order Number:**

AS/NZS 3837-1998 Method of Test for Heat and Smoke Release Rates for Materials and Products using an Oxygen

Consumption Calorimeter

27-04-2023 Date Tested

AWTA Test Operator 9 Operator

Face Tested **FACE**

Specimen

2 Mean 1 3 40.2 24.4 27.7 30.8 kW/m² Average Heat Release Rate 41.1 40.9 26.9 Average Specific extinction area 36.3 m²/kg

(according to Specification C1.10 of the Building Code of Australia)

Specimen

Horizontal Test orientation:

	1	2	3	Mean	
Irradiance	50	50	50	50	kW/m²
Exhaust flow rate	0.024	0.024	0.024	0.024	m³/s
Time to sustained flaming	138	100	121	120	sec
Test duration	3600	3600	3600	3600	sec
Peak heat release after ignition	160.2	138.2	139.6	146.0	kW/m²
Average heat at 60 s	125.3	110.3	107.3	114.3	kW/m²
Average heat at 180 s	126.9	118.7	107.9	117.8	kW/m²
Average heat at 300 s	111.3	102.9	101.3	105.2	kW/m²
Total heat released	139.2	86.4	96.4	107.3	MJ/m²
Average effective heat of combustion	22.2	13.4	15.3	16.9	MJ/kg
Initial thickness	8.7	8.7	8.7	8.7	mm
Initial mass	133	127.2	130.9	130.4	g
Mass remaining	81.7	75.4	79.3	78.8	g
Mass percentage pyrolysed	38.6	40.7	39.4	39.6	%

188035 64136 Page 2 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT

Client: The Laminex Group

22 Trewin Street

Wendouree VIC 3355

Test Number :

23-001530

Issue Date

27/04/2023

Print Date

24/05/2023

Order Number:

3455941

Mass loss

Average rate of mass loss

6.3 1.8 6.4 1.8 6.4 1.8 6.4 1.8 kg/m²

g/m².s

Additional Observations

NONE

Difficulties Encountered during Testing

NONE

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be the sole criterion for

assessment of performance under real fire conditions.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment

of the fire hazard under all fire conditions.

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescing sample within the sample holder.

188035 64136 Page 3 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Fiona McDonald

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hone

0204/11/06

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT

Client: The Laminex Group


22 Trewin Street
Wendouree VIC 3355

Test Number : 23-001530


Issue Date : 27/04/2023 Print Date : 24/05/2023

Order Number: 3455941


Specimen: 1




Effective heat of combustion (MJ/kg)



Smoke production rate ([m²/s])



Specific extinction area (m²/kg)



188035

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved 64136

Page 4 of 9



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall

be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Fiona McDonald

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT


Client: The Laminex Group


22 Trewin Street
Wendouree VIC 3355


Test Number : 23-001530


Issue Date : 27/04/2023 Print Date : 24/05/2023

Order Number: 3455941









188035 64136

Page 5 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Allera

Fiona McDonald MIC
APPROVED SIGNATORY



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT


Client: The Laminex Group

22 Trewin Street Wendouree VIC 3355 Test Number : 23-001530


Issue Date : 27/04/2023 Print Date : 24/05/2023

Order Number: 3455941


Specimen: 2




Effective heat of combustion (MJ/kg)



Smoke production rate ([m²/s])



Specific extinction area (m²/kg)



188035

64136

Page 6 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing

Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Fiona McDonald

APPROVED SIGNATORY



MICHAEL A. JACKSON B.Sc.(Hons)

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400


TEST REPORT


Client: The Laminex Group


22 Trewin Street Wendouree VIC 3355 **Test Number** : 23-001530


Issue Date : 27/04/2023 Print Date : 24/05/2023

Order Number: 3455941









188035 64136

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved Page 7 of 9

NATA

Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

eld.

MICHAEL A. JACKSON B.Sc.(Hons)

Fiona McDonald

0204/11/06

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400

TEST REPORT

The Laminex Group Client:


22 Trewin Street Wendouree VIC 3355

23-001530 Test Number :


Issue Date 27/04/2023 24/05/2023 **Print Date**

3455941 **Order Number:**


Specimen:




Effective heat of combustion (MJ/kg)



Smoke production rate ([m²/s])



Specific extinction area (m²/kg)



188035

64136

Page 8 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

APPROVED SIGNATORY

L A. JACKSON B.Sc.(Hons)

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400


TEST REPORT


Client: The Laminex Group


22 Trewin Street Wendouree VIC 3355 **Test Number** : 23-001530


Issue Date : 27/04/2023 Print Date : 24/05/2023

Order Number: 3455941









188035 64136

Page 9 of 9

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

Figna McDonald

Fiona McDonald

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)